



## Treston QuatreX electrical workbench

Treston QuatreX electrical workbench is specifically designed to offer supreme stability, flexibility, and precision. With modern and ergonomic design combined with the high-speed electrical height adjustment this workbench is the ultimate choice for professionals who demand excellence in their work environments. Treston QuatreX meets the needs of various industries and segments, including luxury goods manufacturing, electronics manufacturing, fine mechanics, logistics, light assembly, maintenance, and R&D labs.

- Extreme stability and less vibration.
- Flexibility and versatility - add uprights and accessories for a complete workstation suited to your needs.
- Four powerful motors offer the fastest adjusting speed - from down to up in less than 14 seconds.
- Adjustment range 28" - 47.6".
- Total max loading capacity 660 lbs. 330 lbs for the uprights.
- ESD compatibility available.
- World's largest selection of modular accessories for customization.

[Request a Quote on Treston QuatreX electrical workbench](#)

## QuatreX frames (8)

| Code       | Product                                                 | Width inches | Depth inches | Height adjustment area inches | Adjustment method | Adjustment control panel              | Max load lbs | ESD | Color name | Net Weight lbs | Frame material            | Warranty years |
|------------|---------------------------------------------------------|--------------|--------------|-------------------------------|-------------------|---------------------------------------|--------------|-----|------------|----------------|---------------------------|----------------|
| QXB3040-41 | Treston QuatreX four-leg electric bench frame 40.35"x30 | 40.35        | 29.53        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 115            | Epoxy powder-coated steel | 10             |
| QXB3048-41 | Treston QuatreX four-leg electric bench frame 48.23"x30 | 48.23        | 29.53        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 0              | Epoxy powder-coated steel | 10             |
| QXB3060-41 | Treston QuatreX four-leg electric bench frame 60.04"x30 | 60.04        | 29.53        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 0              | Epoxy powder-coated steel | 10             |
| QXB3072-41 | Treston QuatreX four-leg electric bench frame 71.85"x30 | 71.85        | 29.53        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 0              | Epoxy powder-coated steel | 10             |
| QXB3640-41 | Treston QuatreX four-leg electric bench frame 40.35"x36 | 40.35        | 35.43        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 0              | Epoxy powder-coated steel | 10             |
| QXB3648-41 | Treston QuatreX four-leg electric bench frame 48.23"x36 | 48.23        | 35.43        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 0              | Epoxy powder-coated steel | 10             |
| QXB3660-41 | Treston QuatreX four-leg electric bench frame 60.04"x36 | 60.04        | 35.43        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 0              | Epoxy powder-coated steel | 10             |
| QXB3672-41 | Treston QuatreX four-leg electric bench frame 71.85"x36 | 71.85        | 35.43        | 27.95 - 47.64                 | Motor adjustable  | Up/down, memory positions and display | 661          | Yes | Light grey | 0              | Epoxy powder-coated steel | 10             |

## ESD Grounding set for Treston QuatreX (1)

| Code   | Product                               | EAN-code      | ESD | Available for the following products | Warranty years |
|--------|---------------------------------------|---------------|-----|--------------------------------------|----------------|
| QX-ESD | ESD Grounding set for Treston QuatreX | 6416763098330 | Yes | Treston QuatreX electrical workbench | 10             |

## QuatreX tops (23)

| Code          | Product                                                      | Width inches | Depth inches | Height inches | ESD | Color name | Bench top material                | Warranty years |
|---------------|--------------------------------------------------------------|--------------|--------------|---------------|-----|------------|-----------------------------------|----------------|
| 14-96841830   | Work surface, 48.43"x30", grey postformed laminate for QXB   | 48.43        | 30           | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-96841831-o | Work surface, 60.24"x30", grey postformed laminate for QXB   | 60.24        | 30           | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-96841832   | Work surface, 72.06"x30", grey postformed laminate for QXB   | 72.05        | 30           | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-96841833   | Work surface, 40.55"x30", grey postformed laminate for QXB   | 40.55        | 30           | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-96841834   | Work surface, 40.55"x36", grey postformed laminate for QXB   | 40.55        | 35.98        | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-96841837   | Work surface, 48.43"x36", grey postformed laminate for QXB   | 48.43        | 35.98        | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-96841838   | Work surface, 60.24"x36", grey postformed laminate for QXB   | 60.24        | 35.98        | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-96841839   | Work surface, 72.06"x36", grey postformed laminate for QXB   | 72.05        | 35.98        | 1.18          | No  | Light grey | High pressure laminated chipboard | 2              |
| 14-97035830   | Work surface, 48.43"x30", ESD grey postformed laminate for Q | 48.43        | 30           | 1.18          | Yes | Light grey | ESD laminated chipboard           | 2              |

| Code        | Product                                                       | Width inches | Depth inches | Height inches | ESD | Color name | Bench top material      | Warranty years |
|-------------|---------------------------------------------------------------|--------------|--------------|---------------|-----|------------|-------------------------|----------------|
| 14-97035831 | Work surface, 60.24"x30", ESD grey postformed laminate for Q  | 60.24        | 30           | 1.18          | Yes | Light grey | ESD laminated chipboard | 2              |
| 14-97035833 | Work surface, 40.55"x30", ESD grey postformed laminate for Q  | 40.55        | 30           | 1.18          | Yes | Light grey | ESD laminated chipboard | 2              |
| 14-97035834 | Work surface, 40.55"x36", ESD grey postformed laminate for Q  | 40.55        | 35.98        | 1.18          | Yes | Light grey | ESD laminated chipboard | 2              |
| 14-97035837 | Work surface, 48.43"x36", ESD grey postformed laminate for Q  | 48.43        | 35.98        | 1.18          | Yes | Light grey | ESD laminated chipboard | 2              |
| 14-97035838 | Work surface, 60.24"x36", ESD grey postformed laminate for Q  | 60.24        | 35.98        | 1.18          | Yes | Light grey | ESD laminated chipboard | 2              |
| 14-97035839 | Work surface, 72.06"x36", ESD grey postformed laminate for QX | 72.05        | 35.98        | 35.98         | Yes | Light grey | ESD laminated chipboard | 2              |
| 14-97818930 | Work surface, 40.55"x30"x3/4", black phenolic for QXB         | 40.55        | 30           | 0.75          | No  | Black      | Phenolic                | 2              |
| 14-97818931 | Work surface, 40.55"x36"x3/4", black phenolic for QXB         | 40.55        | 35.98        | 0.75          | No  | Black      | Phenolic                | 2              |
| 14-97818932 | Work surface, 48.43"x30"x3/4", black phenolic for QXB         | 48.43        | 30           | 0.75          | No  | Black      | Phenolic                | 2              |
| 14-97818933 | Work surface, 48.43"x36"x3/4", black phenolic for QXB         | 48.43        | 35.98        | 0.75          | No  | Black      | Phenolic                | 2              |
| 14-97818934 | Work surface, 60.24"x30"x3/4", black phenolic for QXB         | 60.24        | 30           | 0.75          | No  | Light grey | Phenolic                | 2              |
| 14-97818935 | Work surface, 60.24"x36"x3/4", black phenolic for QXB         | 60.24        | 35.98        | 0.75          | No  | Black      | Phenolic                | 2              |

| Code        | Product                                               | Width inches | Depth inches | Height inches | ESD | Color name | Bench top material | Warranty years |
|-------------|-------------------------------------------------------|--------------|--------------|---------------|-----|------------|--------------------|----------------|
| 14-97818936 | Work surface, 72.06"x30"x3/4", black phenolic for QXB | 72.05        | 30           | 0.75          | No  | Black      | Phenolic           | 2              |
| 14-97818937 | Work surface, 72.06"x36"x3/4", black phenolic for QXB | 72.05        | 35.98        | 0.75          | No  | Black      | Phenolic           | 2              |